Approved For Release 2006/05/24 : CIA-RDP70-00211R000900060037-5



OFFICIAL USE ONLY

WGDSI-MIN-A 23 Mar 1957

IAC - AHIF Working Group on Document Security Indications

Minutes of Fourth Meeting, 21 March 1957

Mombors Present

STATE - George A. Small
ARMY - CWO Louis G. White
NAVY - Ens. Ronald E. Neston
AIR - Maj. Charles Maggle
CIA -

STAT

Action

- 1. The Group met at 1430 hrs. in Room 101, 350 26th. St.
- 2. The Chairman distributed draft copies of a CIA prepared document summarizing and comparing document security indications marking requirements of the IAC Agencies. (Tob A) This was read, studied and discussed. Several minor modifications were then made. CIA's comments, notes on inconsistencies and proposed recommendations on the draft were also discussed, item by item, at some length.
- 3. Subject only to final internal coordination (mainly within State) the modified draft was then accepted for presentation to AHIP at its 25 March 1957 meeting as representing tGDSI's tentative findings. (Tab 8)
- 4. The Chairman then proposed that at such time as a final report is made to AHIF it include the following general recommendations:

"To bast insure consistency in the manner of marking defense information classifications of documents prepared and/or exchanged within the intelligence community, WGDSI recommends that member agencies:

- l. Insure that classifications and control stamps, no matter how applied, be bold, conspicuous and noticebly different from the text.
- 2. Profer red classification markings, except on printed matter when text and classifications are produced simultaneously.
- 3. Promote the use of reproducible black offeet stamp pad ink to affix classifications and control stamps to direct image offeet masters.

C-F-F-I-C-I-A-L U-S-E C-N-L-Y Approved For Release 2006/05/24 : CIA-RDP70-00211R000900060037-5

> WGDSI-HIN-4 23 Mar 1957 Page # 2.

- 4. Promote the use of pre-printed classification plates to affix classifications and control stamps to ditto masters.
- 5. Fermit and encourage the use of stenciled markings on mimeographed stencils to obtain an effect similar to stamping.
- 6. Discourage the preprinting of classifications or control stamps as an unnecessary added expense, substituting classification plates, stenciled markings and reproducible ink stampings.
- 7. Discontinue typing classifications and control stamps.
- 8. Consistent with security requirements, promote the use of labor saving methods and techniques in classifying and control stamping documents.

This proposal was accepted subject only to final internal coordination by member agencies.

- 5. Various methods of systematically reporting for remedial action, deficiencies in Document Security Indications were discussed without reaching any decision. Included were:
- a. Continuation of WGDSI to receive and investigate reports of deficiencies and recommend action.
- b. Direct reporting to AHIP members; correction thru AHIP channels.
 - c. Use of Security channels.
 - d. Use of Library or other collection/dissemination channels.
 - a. As part of the reports evaluation process.
- 6. It was agreed to meet again at 1430 hrs. in Room 101, 350 26th St. to resolve the above problem and to prepare a final report to ASIP.

| | 7. The | meeting was | adjourned | at | 1645. | |
|--------|---------|-------------|-----------|-----|----------------|--|
| | 0 0 | ÷ | N. | | | |
| Atte | chments | . , | · | (G) | | |
| ten an | | | • | | Chairman WGDSI | |

A - CIA Draft-Doc. Mark. Req.

B - WGDSI modification of A.


SILTTEDIO


WGDSI-MIN-4 23 Mar 1957 Page # 23


O-F-F-I-C-I-A-L U-S-E O-N-L-Y

STAT

| | | TOCCMENT DECOMMENT TRANSMEN | THE PART OF STREET | |
|--|--|--|-------------------------|---|
| | Approved For | Release 20 <u>06/05/24300/AARS</u> | 70-00211R000900060037-5 | |
| Vicinity of the second | | DEGREE OF CONSIPICUO | IESS ALCOHOLOGIC | Comments |
| | | I. <u>Size</u> | Alt Fores | Inconsistencies Rescussedations |
| ot specialist sone Capital b | Market typed or | Larger then normal Same as | | Different daterpres. Section of mandario. |
| pri mort : Assessor : pro : Earl | OP con stamped. Then | lettering ecospie- nonsly marked or | that it be commune | Estions applied to maker #UCTRONON - COMEPTIONS 18 CAPPLICATION FOR SHEET |
| one de la | | stamped (not typed) (par 68, at 380-5). | | troing consideration |
| | | | | apphelas say wes. BaC does not define: |
| ar Salar. Tr | | | | See Inconstatencies |
| | | | | APPLICATION-Typed |
| | | | | |
| | | | | |
| I. PLACEMENT (GENERAL) | | | | Comments |
| E.O. C1A | State | Army Na | Air Porse | Inconsistencies Recommendations |
| iporopriately Approxima | tely } Ton and bottom of | Company of the Compan | | |
| | | Top and bottom of Well cle | | ed CIA reports with elassifications |
| marked or stamped. Inch from mbound document - bottom of | top and each page, | all pages which edges to contain classified. sovering | world or stamped at top | classifications |
| arked or stauped. inch from hbound document - bottom of cop and tottom of In practi- each page in such certain i | top and each page, each page, e., to meet CENTEREA mportant | all pages which edges to contain classified. sovering | world or stamped at top | elassifications placed several inches |
| sarked or stamped. insh from habound deciment - bottom of op and bottom of each page in such ammer that mark internal ing will he clear needs, so | top and .each page, each page, each page, es, to most CENTEREO procedural me reports | all pages which edges to contain classified eovering defense information sembling | world or stamped at top | classifications placed several inches from top and bottom |
| arked or stamped, inch from hound document - top and botton of In practi ach page in such ammer that surk- ing will be clear iny whither when ages are clipped 12-2" be | top and _each page, each page, each page, each page, each CENTERED sportsmit procedural se reports confidentions low top of | all pages which edges to contain classified eovering defense information sembling | world or stamped at top | classifications placed several inches from top and bottom |
| sarked or stamped, inch from hound document - top and bottom of in practi cach page in such samer that wark internal lamger that wark lagges are ellipsed or stabled together page and in unbound document 3" from b | top and _each page, each page, each page, es, to most CENTERES mportant procedural me reports ssifications low top of as much as | all pages which edges to contain classified eovering defense information sembling | world or stamped at top | classifications placed several inches from top and bottom |
| arked or stamped, inch from hobound document bottom of in practi sach page in such certain I aamer that wark internaling will be clear needs, so in which we warry sha lages are elipped 12-2 be or stabled together page and | top and _each page, each page, each page, es, to most CENTERES mportant procedural me reports ssifications low top of as much as | all pages which edges to contain classified eovering defense information sembling | world or stamped at top | classifications placed several inches from top and bottom |
| marked or stamped. Inch from hound document - top and bottom of In practi- harmer that wark errain I harmer that wark errain I harmer that wark earry six harmer that war | top and _each page, each page, each page, es, to most CENTERES mportant procedural me reports ssifications low top of as much as | all pages which edges to contain classified eovering defense information sembling | world or stamped at top | classifications placed several inches from top and bottom |
| arked or stamped. Inch from bottom of loop and loop | top and _each page, each page, each page, es, to most CENTERES mportant procedural me reports ssifications low top of as much as | all pages which edges to contain classified eovering defense information sembling | world or stamped at top | classifications placed several inches from top and bottom |
| warted or stamped. Inch from hound document - bottom of rop and bottom of rach page in such sammer that wark ing all he clear needs, so ly writes when ages are ellipsed land to unbound document 3" from b includes letters, semoranda, reborts, telegrams and similar documents, the pages of which are not cermanentiv and securely | top and _each page, each page, each page, es, to most CENTERES mportant procedural me reports ssifications low top of as much as | all pages which edges to contain classified eovering defense information sembling | world or stamped at top | classifications placed several inches from top and bottom |
| arked or stamped. Inch from bottom of cop and cop | top and _each page, each page, each page, es, to most CENTERES mportant procedural me reports ssifications low top of as much as | all pages which edges to contain classified eovering defense information sembling | world or stamped at top | classifications placed several inches from top and bottom |










| | Approved For Release 2006/0 | 15/24 : CIA-RI →70-00211R000900060037- | |
|---------------------------|---------------------------------------|--|--|
| OR CREDCE PEACE. | State: Army | Mar the sale force: | LORDADE Und Und Understanding |
| desified Red or black | Red;only, when Not specified stamped; | usage has been re | Slignis von ations. That, all applicates name, Atanties, continue (C.). |
| | | etames, will be pri ed antien has bee the same color as the text; hormals black. | text and classical |
| E OF INE | | | |
| specified. Not specified. | Not specified. Not specified. | Not specified. Not srecified. | Black offset stamp. That all arencies pad ink can be used encouraged to use effectively on directblack offset stampings offset masters.pad ink on direct |
| | | | image offset master |
| <u> </u> | | | |
| e. None. | None. None. | None. None. | Preprinted, sticky backed TOP SECRET be encouraged to use pre-printed |
| | | | plates which repro- classification duce red inked ditto- plates on ditto copies have been masters. effectively used by CIA: |
| | | | |

| | Approved For Relea | se 2006/05/24 © RDI | P70-00211R000900060037- | - | WVI 2 |
|--|---|--|--|---|--|
| iod to Colombia thou | | | and the second s | ne e e e e e e e e e e e e e e e e e e | |
| CTA | State | \ | AltyForces | GOMMENTS OF | |
| or approverse Same as E.O. but in Bi SCH SECTION addition to stemping, al | intel approval Same a Lelassifications, expept | OTA ME MAN ON B | dimental Company of the Company | All agencies have | Recommendations That ald second as |
| GFURTIALALISM fleation may be much significant for survival by use of classification plate or other appropriate means. | e sice is | ander for Filters - | distri made for stendilla Morizad. etc. | Taken al Element Sations, CL sovers Recomming and use Communication | provide inc. (1986) Stanething to the second of the second |
| except names ripts for photographic re- production which will be marked in color suitable for such | | | | | stamping. |
| reproduction. | | | | | |
| inted | Assets of | | | | - |
| preprint TOP SECRET Da | per with elassifi- paper h tions authorized. printed may be | ppromiste, No mentic aving predone on a utilisarkings slips. | It is Not covered in ing AFR's. Not used in AFOIN's. | authorize the pre- printing of all | That the use of pre- printed saper be discouraged as an unnecessary added |
| SECRET, CONFIDENTIAL and UNCLASSIFIED. | (par 70 | , AR 386-5) | | while CIA gives blanket approval to preprint TOP SECRET only. The preprint- ing of all other | ton plates, sten- cils, and repro- ducible titk etamo- |
| | | | | classifications re- quire special approv- al. The other IAC agencies do not cover this subject. | ings be substituted whenever possible. |
| | | | | | |
| | | 40.00 | | | |








Approved For Release 2006/05/24scGIA-RDB70 00211R000900060037-5 MARKING REQUIREMENTS DEGREE OF CONSTRICTION Larger than normal lattering comple-nously marked or stemped (mot treed) (par 68, AR 380-5). Not specified-con APPLICATION Type syping comspicuous? E.O. does not define. T METHOD OF APPLICATION-Typed PLACEMENT (GENERAL) E-0. Top and bottom of all pages which contain classified defense information (per 58, At 380-5). ed or stamped elessifications placed several inches from top and bottom page in such l le clear le when re elipped spled together page and as m bound document 3" from bottom oranda, recorts, lar documents, pages of which not permanentand securely tened together.


Approved For Release 2006/05/24 : CIA-RDP70-0 211R000900060057-5 II. Placement (Bound Documents) Comments E.O. Navy Air Force Inconsistencies Minimum requirements Minimum requiretop and bottos, sents-Conspicuously
outside from and sents-Conspicuously
back covers, fittle; top and bottom,
first and back pages outside of front
If any possibility and back covers, bottom, outside d pages, conspicuously differ from other index services in that b contain top and bottom on they require stampmont and back cov ers, title, first and last pages. A Bound document is gether with any routing instruc-, tions or other pages which contain classified informaoutside of front and ing or marking on back covers and on all pages of bound a book or pamphlet of page separation, title, first and the pages of which classify each page back pages. Unless are permanently and permanently bound cash page must be show. tion. tions or other
papers of any size
mines midtly or
partially conceel
the cover; title,
Circton back pages
mill bear overall
slangification title, first and last pages. A per-manently bound does-ment is one sewed or documents. manipad as above. side-stitched with a glued hinding from which pages cannot be re-poved without damage or mutilation.

Approved For Release 2006/05/24 : CIA-RDP7 000211R000900060037-5 PHOTOGRAPHS, FILMS, RECORDINGS AND THEIR CONTAINERS, SPECIAL EQUIPMENT AND BULK MATERIAL E.O. sonspisuously Mark conspisuously Negatives and slides photo-negatives to purpopristely. and appropriately. asked or stamped, top appropriate classical app Film recor Conspicuously marked. State and Army appropriately. If possible, negative are more esutious tives will be marked than the other IAC appropriate alassi beginning fication sarkings of each rol and kept in contain stanning, and bottom on front. agenales. However, all achieve the Boll film except and kept in containment of the second and kept in containment of the second marked, furnish stamping, esching or attached plate. Containers sarked ritten notifica-Aerial recompaissance same results, namely negatives in roll - MATERIAIS ARE ing and end of roll. marked. Classified Container Photographic prints, sound resordings will the same. top and bottom, frontbe marked on readily on of classificato resipient of form will be marked WARKED CONSTICUOUSLY at the beginning and AND APPROPRIATELY. and back. If in observable portions, possible due to size, preferably at beginning the sitiation say and ond, with appropriate container rists shassification end of each roll. Photos and reprodustions will be marked on front and backs markings and; if stored in container, it will display only. Containers to be conspicuously similar markings. When practicable classification will be announced at beglaning and end. Monion pleture films will be marked at beginning and end of each roll and in each file title and kept in containers bearing conspicuous classification mark (Par 72, AR



| | Approved F | For Release 2006/05/24 : CIA-RDP70 | 00211R000900060037-5 | |
|--------------------|--|--|--|--|
| ****** | | | | The state of the s |
| 51.1 52~ | | | | |
| LOR - RED CR BLACK | • | | Comment s | a service and the service of |
| E.O. | | | | Contract Contract |
| | UIA State | Army | Air Forse Insonsistancies | Recommendation |
| specified] | Red or black Red only, when | Not specified Red when p | nacticable. Not specified in Slight variations | That all agencies |
| | | The second of th | AFR's; however, smoog agencies. | continue to encour |
| | | | stamps, while print red ink when con- ed matter has been venient, | ink except on |
| | | | the same color as | printed matter who |
| | | The state of the s | the text, normally basek. | tions are produced simultaneously. |
| Boltz of the | and the second s | | | |
| E OF INK | and the second second | - | | • |
| specified. | Not specified. Not specified. | | | |
| . Sheettier. | Not specified. Not specified. | Not specified. Not specifi | TOTAL DIESE SCHEN | That all agencies |
| | | | ellectively on dire | d encouraged to use estblack offset stamp |
| | | A CONTRACT OF THE STATE OF | image offset master | rs.pad ink on direct image offset maste |
| | | (2) (2) (2) (2) (2) (2) (2) (2) (2) (2) | | |
| | | | | |
| | | | | |
| | | | | |
| | None. | M | | |
| | AOLIG • | Ache. | None. Preprinted, stisky backed TOP SECRET | That all agencies |
| | | | classification | |
| • | | | plates which repro duce red inked dit | - classification to- plates on ditto |
| | | in the same of | copies have been effectively used by | masters. |
| | | | | |

Approved For Release 2006/05/24 : CIA-RDP7 000211R000900060037-5 ethod of-Application Comments Stamped or Air Force Inconsistencies B.O. Same as CIA, except All agencies have no provision is blaket approved made for stenerling, stans all almost micst approvalto Same as E.O. but in Blanket approval-pp TOP SECRET, addition to stamping, all classifications. RET, CONFIDENTIAL lessification may be UNCLASSIFIED. stendiled or marked Same as CIA, No mention CLASSIFIED FIDERETAL except so provi-sion is made for stamp all elessifihandling" thorized. etc. estions. CIA sovers **classification** stenciling and use plates to get the by use of classifiof classification eation plate or other appropriate means, except manuseripts for photographic re production which will be marked in color suitable for such reproduction. eprinted State and Army authorize the pre-printing of all classifications That the use of pr Blanket approval to Preprinting of preprint TOP SEREF paper with classifi-Normantion Where appropriate, AFR's, Not used printed paper be discouraged as an alips. in AFOIN's. on blank paper. printed markings unnsee ssary added Special approval may be used. while CIA gives expense, blanket approval to fr That elassifica preprint TOP SECRET tion plates, stenrequired to preprint SECRET, CONFIDENTIAL (par 70, AR 380-5) and UNCLASSIVIED. only. The preprint etls, and repro-ing of all other dusible fak stampclassifications reings be substitute quire special approvementor possible. agencies do not cover this subject



| 8.3 | Approved | For Release 2006/05/24 : Cl | IA-KDI 70,00211IX0 | 000000000000000000000000000000000000000 | | ग- ग्राम |
|---|--|--|--------------------|--|---|----------------|
| | | | | | | |
| OD OF EPPLICATION | | | | | | |
| and Written | | | | | Communits or | Riceo mienda i |
| 3.0. | CIA State | <u>Arwy</u> | Mayy | Air Fores | Inconsistensies | ele-cw-s |
| esified other Sam | me as the ELO. Same as the | E.O Same as the E.O. | Same as the E.O. | Same as the E.O. | All agencies are in Time on this method | |
| the term d or stamped." | | | | | | e Edice |
| <u> </u> | | | | | | |
| | | | | 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | | |
| And S | | | | A PART OF THE PART | | |
| an. | | | | | | |
| <u>ed</u> | | | | | No. of the second | ******** |
| elled out. Blank | ket approval to Implied author to TOP SECRET, tion for all | priza- Same as CIA. On elāssi- domuments reproduced | No mention | Same as CIA. How- | All agencies are in- line on this method | |
| SECRE | ET, CONFIDENTIAL fications. UNCLASSIFIED: | by letter press, black letter typeset | | the classification must be the same | | |
| pert | of basic doss | may be used for printing the classi- | | eolor, as wulti- color printing is | | |
| eous | units similar Ly printing this | fication markings. (par 70c, AR 380-5) | | toe expensive. | | 1.00 S |
| ert. | | (bar log, ar Jon-3) | | | | |
| WASHINGTON THE PARTY OF THE LOCAL PROPERTY OF | | | | | ani are i are | |
| | | | | The second secon | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| i en printe | | | | | | |
|) | | | | | | |
| | | | | | | |

Approved For Release 2006/05/24 : CIA-RDP7 -00211R000900060037-5 of Application LABOR SAVING METHODS Air Force : Navy E.O. Agency regulations No spesific regula- Neither authorised Same as CI revered. I. SECHET (When no season are not promibited. uses supported in the season of penerally fail to be ensour Not used. permit- 2. de down - 3. Not used: grading of transmit-tal letters after iss any labor saving saving method methods. Agencies consistent with d legend This dosument is unclassified witted, when separated from ML classified or coned trolled stanments enthorized Discourages use of other lator saving designations. These entages to promitical though. spicuous and state that although security require removal of enclosures. 2. Not authorized or by regulation. 2. (x) SECRET (y) CONFIDENTIAL a check mark placed men methods are not ments. priate. suthorized neither mentioned. are they prohibited: In the past though 3. Not authorized or mentioned. Some use is made of these methods, but not in in front of the Army has held that sheek box elassifiappropriate elassi-fication effects cations are unaccept corresponde elessification of the form or document This method is not prohibited by regulation. It is assepted by suston. 3: (SECRED) CONSTRUCTOR ment.) This method is not covered by regulation-- it is regulation -- it is recepted by sustom